

Oboron Council
Oboron Waste Facility
Lewes Mount Road, Oboron NSW
EPc 20228
Waste Disposal (application to land)

Sampling Point 1 (BHT1)

Sampling Frequency (during discharge)	Monthly	Monthly	Monthly	Monthly		
Discharge Limit	0.0 - 0.0	50	50	15		
Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity (µS/cm)	Total Suspended Solids (mg/L)	Oil and Grease (mg/L)
No Discharge						
15-Apr-14	2-Jun-14		7.41	304	69	<5
13-May-14	10-Aug-14		7.08	302	75	<5
4-Jun-14	4-Aug-14		7.46	273	10	<5
22-Jul-14	4-Aug-14		7.08	172	7	<5
10-Sep-14	24-Sep-14		7.08	163	11	<5
22-Dec-14	21-Jan-15		7.07	167	8	<5
6-May-15	28-May-15		11.7	8.4		
29-Jul-15	8-Jul-15		7.08	152	15	7
16-Jul-15	7-Aug-15		7.08	107	70	10
10-Sep-15	28-Sep-15		7.30	126	15	<5
10-Sep-15	28-Sep-15		8.13	601	85	<5
23-Dec-15	15-Jan-16		7.02	184	15	<5
16-Jan-16	24-Feb-16					No Discharge
3-Feb-16	11-Mar-16					No Discharge
13-Mar-16	18-Mar-16					No Discharge
22-Apr-16	18-Mar-16					No Discharge
19-May-16	28-Jun-16					No Discharge
4-Jul-16	21-Sep-16					No Discharge
11-Jul-16	21-Sep-16		7.14	75	8	<5
17-Aug-16	21-Sep-16					No Discharge
5-Sep-16	21-Sep-16		7.07	478	60	<5
10-Oct-16	22-Oct-16		7.04	463	10	<5
7-Nov-16	22-Oct-16		7.77	73	10	<5
19-Dec-16	22-Oct-16					No Discharge
11-Jan-17	11-Jan-17					No Discharge
7-Feb-17	28-Feb-17					No Discharge
9-Mar-17	28-Mar-17					No Discharge
11-Apr-17	28-Mar-17					No Discharge
17-May-17	8-Jun-17					No Discharge
17-Jun-17	11-Jun-17					No Discharge
11-Jul-17	11-Jul-17					No Discharge
23-Aug-17	22-Sep-17					No Discharge
7-Sep-17	7-Sep-17					No Discharge
5-Oct-17	5-Oct-17					No Discharge
13-Nov-17	13-Nov-17					No Discharge
4-Dec-17	4-Dec-17		6.9	48	46	13
16-Jan-18	16-Jan-18		7.1	630	41	<10
16-Feb-18	16-Feb-18					No Discharge
23-Mar-18	23-Mar-18					No Discharge
27-Apr-18	27-Apr-18					No Discharge
24-May-18	24-May-18					No Discharge
16-Jun-18	16-Jun-18					No Discharge
16-Jul-18	16-Jul-18					No Discharge
17-Aug-18	17-Aug-18					No Discharge
6-Sep-18	6-Sep-18					No Discharge
29-Oct-18	29-Oct-18		7.1	490	27	21
14-Nov-18	21-Jan-19		7.2	310	150	<10
18-Dec-18	21-Jan-19					No Discharge
30-Jan-19	24-Apr-19					No Discharge
19-Feb-19	24-Apr-19		7.1	140	<1	<10
28-Mar-19	23-Jul-19					No Discharge
1-May-19	23-Jul-19					No Discharge
6-Jun-19	23-Jul-19					No Discharge
10-Jul-19	20-Jan-20					No Discharge
19-Aug-19	20-Jan-20					No Discharge
2-Sep-19	20-Jan-20					No Discharge
6-Oct-19	20-Jan-20					No Discharge
14-Nov-19	20-Jan-20					No Discharge
8-Dec-19	20-Jan-20					No Discharge
7-Jan-20	20-Jan-20					No Discharge
3-Feb-20	24-Jul-20					No Discharge
11-Mar-20	24-Jul-20					No Discharge
24-Apr-20	24-Jul-20					No Discharge
18-May-20	24-Jul-20					No Discharge
30-Jun-20	24-Jul-20		7.4	110	16	<5
7-Jul-20	24-Jul-20		7.1	93	22	<5
28-Aug-20	16-Oct-20		7.4	220	37	<5

Sampling Point 2 (Groundwater BHT2)

Sampling Frequency (where load is present)

Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity (µS/cm)	Total Dissolved Solids (mg/L)	Total Alkalinity as CaCO3 (meq/L)	Sulfate (mg/L)	Chloride (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Aluminium (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mg/L)	Nitrite as N (mg/L)	Nitrate as N (mg/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (meq/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mASL)		
19-Nov-13	11-Dec-13		7.12	141	92	22	5	9	<1	20	<1	0.92	<0.001	0.038	<0.0001	0.002	0.004	<0.001	0.00	0.00	0.04	0.01	0.25	<0.0001	<0.1	0.02	<0.01	1.62	0.64	4.0	<0.01	<0.014	<0.0005	<0.001	<0.07	1110.46				
13-May-14	10-Jun-14		6.08	122	79	22	19	5	<1	<1	24	<1	0.92	<0.001	0.116	<0.0001	<0.001	0.004	0.002	0.01	<0.001	0.037	0.03	<0.05	<0.0001	<0.1	0.01	<0.01	1.91	0.16	2.0	<0.01	<0.014	<0.0005	<0.001	<0.07	1110.57			
6-Nov-14	4-Dec-14		6.25	99	66	11	11	18	6	<1	20	<1	<0.01	<0.001	0.128	<0.0001	<0.001	0.002	0.01	<0.001	0.033	0.03	<0.05	<0.0001	<0.1	0.02	<0.01	1.13	0.02	0.0	<0.01	<0.014	<0.0005	<0.001	<0.07	1111.48				
6-May-14	4-Jun-14		6.27	96	60	11	15	5	<1	<1	23	<1	<0.01	<0.001	0.14	<0.0001	<0.001	0.002	0.01	<0.001	0.026	0.02	<0.05	<0.0001	9.10	<0.01	<0.01	1.12	0.02	4.0	<0.01	<0.014	<0.0005	<0.001	<0.07	1112.01				
23-Nov-15	17-Dec-15		6.25	100	66	12	13	5	<1	16	<1	<0.01	<0.001	0.005	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.00	<0.05	<0.0001	<0.1	0.03	<0.01	1.44	0.10	0.0	<0.01	<0.014	<0.0005	<0.001	<0.07	1112.01			
19-May-16	Insufficient																																			1109.45				
6-May-16	21-Sep-16		6.38	113	73	29	12	6	3	<1	21	<1															<0.1	<0.01	<0.01	1.43	0.22	2.0					1112.71			
7-Nov-16	Insufficient																																				1109.37			
17-May-17	Insufficient																																				1109.37			
13-Nov-17	Insufficient																																				1109.37			
26-Mar-18	Insufficient																																				1109.37			
14-Nov-18	21-Jan-19		6.5	190	110	34	1.7	34	14	3.1	10	7.1																								1119.91				
14-Nov-19	Insufficient																																				1109.37			
7-Jul-20	24-Jul-20		6.2	170	95	27	3.3	33	7.4	4.8	6.8	9.8	0.04	<0.001	0.099	<0.0001	<0.001	0.004	0.001				<0.001	0.061	0.052	0.045	<0.0001	<0.1	0.06	<0.005	0.04	0.00	2.0	<0.01	<0.014	<0.001	<0.0005	<0.001	<0.07	1113.18

Sampling Point 3 (Groundwater BHT3)

Sampling Frequency (where load is present)

Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity (µS/cm)	Total Dissolved Solids (mg/L)	Total Alkalinity as CaCO3 (meq/L)	Sulfate (mg/L)	Chloride (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Aluminium (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mg/L)	Nitrite as N (mg/L)	Nitrate as N (mg/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (meq/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mASL)
19-Nov-13	11-Dec-13		6.04	126	82	27	11	10	2	3	12	3	0.95	<0.001	0.093	<0.0001	<0.001	0.004	0.002	0.01	0.00	0.038	0.04	0.52	<0.0001	<0.1	0.02	<0.01	0.92	0.24	<1	<0.01	<0.014	<0.0005	<0.001	<0.07	1109.61	
13-May-14	10-Jun-14		6.09	123	80	28	11	12	3	4	13	4	<0.01	<0.001	0.116	<0.0001	<0.001	0.004	0.002	0.01	<0.001	0.037	0.03	<0.05	<0.0001	<0.1	0.01	<0.01	0.95	0.19	2.0	<0.01	<0.014	<0.0005	<0.001	<0.07	1110.53	
23-Nov-14	17-Dec-14		6.25	99	66	29	10	14	4	4	11	3	0.92	<0.001	0.128	<0.0001	<0.001	0.002	0.01	<0.001	0.033	0.03	<0.05	<0.0001	<0.1	0.02	<0.01	1.13	0.02	0.0	<0.01	<0.014	<0.0005	<0.001	<0.07	1111.48		
7-Nov-16	28-Nov-16		6.38	120	78	27	9	11	4	4	10	3	<0.01	<0.001	0.14	<0.0001	<0.001	0.002	0.001	0.01	<0.001	0.026	0.02	<0.05	<0.0001	9.10	<0.01	<0.01	1.12	0.02	4.0	<0.01	<0.014	<0.0005	<0.001	<0.07	1112.01	
28-May-18	24-Jun-18		6	100	89	24	9.1	11	2.8	4	10	2.9	<0.005	<0.001	0.17	<0.0001	<0.001	0.002				<0.001	0.017	0.02	0.00	<0.0001	<0.1	0.01	<0.005	0.08	<0.02	0.6	<0.01	<0.014	<0.0005	<0.001	<0.07	1107.39
14-Nov-18	21-Jan-19		6.25	190	110	31	3.1	31	12	3.5	4	8.8	2.9	<0.005	<0.001	0.14	<0.0001	<0.001	0.001				<0.001	0.036	0.002	<0.0001	<0.1	0.03	<0.005	0.17	0.08	0.4	<0.01	<0.014	<0.0005	<0.001	<0.07	110

Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity (µS/cm)	Total Dissolved Solids (mg/L)	Total Alkalinity as CaCO3 (meq/L)	Sulfate (mg/L)	Chloride (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Aluminum (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mg/L)	Nitrite as N (mg/L)	Nitrate as N (mg/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polyaromatic Hydrocarbons (meq/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (ftASL)		
20-Nov-13	Insufficient Recharge																																							
13-May-14	10-Jan-14		7.57	535	348	255	9	38	5	11	98	1																											1104.51	
6-Nov-14	4-Dec-14		7.53	626	407	272	21	38	9	19	98	<1																											1104.83	
23-Nov-15	17-Dec-15		7.1	562	359	211	8	42	10	18	99	3	1.4	0.005	0.157	0.0005	0.004	0.124	0.02	0.02	0.16	0.20	0.68	0.92	<0.0001	0.80	0.06	<0.01	0.02	1.35	5.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1106.1	
13-May-14	10-Jan-14		7.43	292	190	111	10	16	13	16	1	0.16	<0.001	0.061	0.0002	0.001	0.017	<0.001	0.01	0.01	0.06	0.04	0.08	0.00	0.30	<0.01	<0.01	0.11	0.46	1.0	<0.019	<0.014	<0.014	<0.0005	<0.001	<0.07		1103.82		
6-Nov-14	4-Dec-14		6.88	191	124	75	7	12	4	12	16	2	0.02	<0.001	0.049	<0.001	<0.001	<0.001	<0.001	0.00	<0.001	0.01	0.01	<0.05	<0.0001	0.30	<0.01	<0.01	0.19	0.09	<1	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1104.72	
23-Nov-15	17-Dec-15		6.88	191	124	87	6	19	5	13	14	1	<0.01	<0.001	0.048	<0.001	<0.001	<0.001	<0.001	0.00	<0.001	0.01	0.02	<0.005	<0.0001	0.30	<0.01	<0.01	0.08	0.11	0.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1105.27	
13-May-14	10-Jan-14		6.98	179	116	83	6	11	6	12	13	2	0.01	<0.001	0.052	<0.001	<0.001	<0.001	<0.001	0.00	<0.001	0.01	0.02	<0.005	<0.0001	0.30	<0.01	<0.01	0.12	0.09	0.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1105.2	
6-Nov-14	4-Dec-14		6.3	180	150	74	6.8	13	4.8	13	15	1.5	<0.005	<0.001	0.068	<0.001	<0.001	<0.001	<0.001	<0.001	0.01	0.00	0.01	0.00	<0.01	<0.001	0.16	<0.01	<0.005	0.06	0.08	0.6	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1101.95
13-May-14	10-Jan-14		6.1	200	150	72	7.2	14	4.7	13	14	1.5	<0.005	<0.001	0.069	<0.001	<0.001	<0.001	<0.001	<0.001	0.00	0.00	0.003	<0.005	<0.0001	0.12	0.02	<0.005	0.06	0.10	0.4	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1102.26	
7-Jul-20	24-Jul-20		6.5	370	240	140	14	21	31	9	31	0.3	0.27	<0.001	0.13	<0.0001	<0.001	0.002	0.001	<0.001	<0.001	0.008	0.005	0.011	<0.001	0.16	0.03	<0.005	0.06	0.10	0.7	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1102.81	

Sampling Point 6 (Groundwater BH4D)

Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity (µS/cm)	Total Dissolved Solids (mg/L)	Total Alkalinity as CaCO3 (meq/L)	Sulfate (mg/L)	Chloride (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Aluminum (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mg/L)	Nitrite as N (mg/L)	Nitrate as N (mg/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polyaromatic Hydrocarbons (meq/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (ftASL)	
20-Nov-13	Insufficient Recharge																																						
13-May-14	10-Jan-14		7.19	1060	689	320	31	146	3	41	156	1	0.03	0.002	0.116	<0.001	<0.001	<0.001	0.014	0.005	<0.001	0.006	1.5	1.43	<0.0001	0.6	0.12	<0.01	0.08	0.72	14.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1104.72
6-Nov-14	4-Dec-14		7.21	773	502	221	7	106	4	42	95	<1	<0.01	<0.001	0.101	<0.001	<0.001	<0.001	0.01	0.01	<0.001	<0.008	2.66	0.33	<0.0001	0.40	0.06	<0.01	0.09	0.34	5.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1106.1
13-May-14	10-Jan-14		7.04	1160	754	368	12	154	8	60	160	1																											1105.18
6-Nov-14	4-Dec-14		7.4	930	550	400	6.5	80	7.7	43	88	0.8	0.006	<0.001	0.13	<0.0001	<0.001	<0.001	0.017	<0.001	0.023	3.2	0.009	<0.0001	0.73	0.07	<0.005	0.06	0.19	9.9	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1107.81	

Sampling Point 7 (Groundwater BH5)

Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity (µS/cm)	Total Dissolved Solids (mg/L)	Total Alkalinity as CaCO3 (meq/L)	Sulfate (mg/L)	Chloride (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Aluminum (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mg/L)	Nitrite as N (mg/L)	Nitrate as N (mg/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polyaromatic Hydrocarbons (meq/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (ftASL)	
20-Nov-13	Insufficient Recharge																																						
13-May-14	10-Jan-14		7.19	1060	689	320	31	146	3	41	156	1	0.03	0.002	0.116	<0.001	<0.001	<0.001	0.014	0.005	<0.001	0.006	1.5	1.43	<0.0001	0.6	0.12	<0.01	0.08	0.72	14.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1104.72
6-Nov-14	4-Dec-14		7.21	773	502	221	7	106	4	42	95	<1	<0.01	<0.001	0.101	<0.001	<0.001	<0.001	0.01	0.01	<0.001	<0.008	2.66	0.33	<0.0001	0.40	0.06	<0.01	0.09	0.34	5.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1106.1
13-May-14	10-Jan-14		7.04	1160	754	368	12	154	8	60	160	1																										1105.18	
6-Nov-14	4-Dec-14		7.4	930	550	400	6.5	80	7.7	43	88	0.8	0.006	<0.001	0.13	<0.0001	<0.001	<0.001	0.017	<0.001	0.023	3.2	0.009	<0.0001	0.73	0.07	<0.005	0.06	0.19	9.9	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1107.81	

Sampling Point 8 (Groundwater BH4D)

Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity (µS/cm)	Total Dissolved Solids (mg/L)	Total Alkalinity as CaCO3 (meq/L)	Sulfate (mg/L)	Chloride (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Aluminum (mg/L)	Arsenic (mg/L)	Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mg/L)	Nitrite as N (mg/L)	Nitrate as N (mg/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polyaromatic Hydrocarbons (meq/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (ftASL)		
20-Nov-13	Insufficient Recharge																																							
13-May-14	10-Jan-14		7.28	280	182	123	11	6	13	14	26	1	0.06	0.012	0.067	<0.001	<0.001	0.003	0.00	0.00	<0.001	0.05	0.83	3.08	<0.0001	0.40	0.03	<0.01	0.04	0.20	3.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1104.93	
6-Nov-14	4-Dec-14		6.98	231	150	114	6	5	10	14	16	1	<0.01	0.008	0.01	<0.001	<0.001	<0.001	<0.001	0.00	<0.001	0.02	0.48	<0.005	<0.0001	0.30	<0.01	<0.01	0.01	0.20	<1	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1105.63	
13-May-14	10-Jan-14		6.98	231	150	114	6	5	10	14	16	1	<0.01	0.008	0.01	<0.001	<0.001	<0.001	<0.001	0.00	<0.001	0.02	0.48	<0.005	<0.0001	0.30	<0.01	<0.01	0.01	0.20	<1	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1105.63	
6-Nov-14	4-Dec-14		7.14	1400	910	524	100	40	11	61	102	<1	<0.01	0.012	0.018	<0.001	<0.001	<0.001	<0.001	0.00	<0.001	0.01	0.55	3.02	<0.0001	0.30	<0.01	<0.01	0.02	0.27	<1	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1104.71	
13-May-14	10-Jan-14		6.7	220	150	110	4.5	4.7	13	14	13	1.4	<0.005	0.05	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.02	0.56	3.40	<0.0001	0.25	0.02	<0.005	0.02	0.26	0.5	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07		1102.16
6-Nov-14	4-Dec-14		6.6	220	150	110	4.5	4.7	13	14	13	1.4	<0.0																											