Oberon Council
Oberon Waste Facility
Lowes Mount Road, Oberon NSW
EPL 20289
Waste Disposal (application to land)

Sampling Point 1 (SW1)

Sampling Frequency (during discharge)			Monthly	Monthly	Monthly	Monthly
Discharge Limit			6.0 - 9.0		50	10
Date Sampled	**Date Obtained**	**Date Published**	**pH (pH units)**	**Electrical Conductivity (µS/cm)**	**Total Suspended Solids (mg/L)**	**Oil and Grease (mg/L)**
Nil Discharge						
15-Apr-14	2-Jun-14		7.41	304	69	<5
13-May-14	10-Jun-14		7.58	302	25	<5
4-Jun-14	4-Aug-14		7.45	273	10	<5
22-Jul-14	4-Aug-14		7.58	172	7	<5
10-Sep-14	24-Sep-14		7.58	143	11	<5
22-Dec-14	21-Jan-15		7.67	167	8	<5
6-May-15	28-May-15		11.7	8.4		
23-Jun-15	8-Jul-15		7.08	112	15	7
16-Jul-15	7-Aug-15		7.08	107	70	10
5-Aug-15	25-Sep-15		7.32	126	15	< 5
10-Sep-15	29-Sep-15		8.13	601	85	< 5
23-Nov-15	17-Dec-15		7.62	184	12	< 5
23-Dec-15	15-Jan-16			No Discharge		
15-Jan-16	3-Feb-16			No Discharge		
3-Feb-16	11-Mar-16			No Discharge		
11-Mar-16	22-Apr-16			No Discharge		
22-Apr-16	19-May-16			No Discharge		
19-May-16	28-Jun-16			No Discharge		
4-Jul-16	21-Sep-16			No Discharge		
11-Jul-16	21-Sep-16		7.14	75	8	< 5
17-Aug-16	21-Sep-16			No Discharge		
5-Sep-16	21-Sep-16		7.57	478	60	< 5
10-Oct-16	2-Dec-16		7.94	643	10	< 5
7-Nov-16	2-Dec-16		7.77	733	15	< 5
15-Dec-16	22-Dec-16			No Discharge		
11-Jan-17	31-Jan-17			No Discharge		
7-Feb-17	28-Feb-17			No Discharge		
9-Mar-17	28-Mar-17			No Discharge		
11-Apr-17	28-Apr-17			No Discharge		
17-May-17	8-Jun-17			No Discharge		
17-Jun-17	17-Jun-17			No Discharge		
11-Jul-17	11-Jul-17			No Discharge		
22-Aug-17	22-Aug-17			No Discharge		
7-Sep-17	7-Sep-17			No Discharge		
5-Oct-17	5-Oct-17			No Discharge		
13-Nov-17	13-Nov-17			No Discharge		
4-Dec-17	4-Dec-17		6.9	400	46	10
15-Jan-18	15-Jan-18		7.1	630	41	< 10
16-Feb-18	16-Feb-18			No Discharge		
23-Mar-18	23-Mar-18			No Discharge		
27-Apr-18	27-Apr-18			No Discharge		
28-May-18	28-May-18			No Discharge		
18-Jun-18	18-Jun-18			No Discharge		
18-Jul-18	18-Jul-18			No Discharge		
17-Aug-18	17-Aug-18			No Discharge		
6-Sep-18	6-Sep-18			No Discharge		
29-Oct-18	29-Oct-18			No Discharge		
14-Nov-18	21-Jan-19		7.1	490	27	21
18-Dec-18	21-Jan-19		7.2	310	150	< 10
30-Jan-19	24-Apr-19			No Discharge		
19-Feb-19	24-Apr-19			No Discharge		
28-Mar-19	24-Apr-19		7.1	140	17	< 10
1-May-19	23-Jul-19			No Discharge		
6-Jun-19	29-Jan-20			No Discharge		
10-Jul-19	29-Jan-20			No Discharge		
19-Aug-19	29-Jan-20			No Discharge		
2-Sep-19	29-Jan-20			No Discharge		
9-Oct-19	29-Jan-20			No Discharge		
11-Nov-19	29-Jan-20			No Discharge		
8-Dec-19	29-Jan-20			No Discharge		
7-Jan-20	29-Jan-20			No Discharge		
3-Feb-20	24-Jul-20			No Discharge		
11-Mar-20	24-Jul-20			No Discharge		
24-Apr-20	24-Jul-20			No Discharge		
18-May-20	24-Jul-20			No Discharge		
30-Jun-20	24-Jul-20			No Discharge		
7-Jul-20	24-Jul-20		7.4	110	18	< 5
28-Aug-20	16-Oct-20		7.1	93	22	< 5
2-Sep-20	16-Oct-20		7.4	220	37	< 5
27-Oct-20	25-Nov-20		6.9	160	19	< 5
27-Nov-20	21-Jan-21			No Discharge		
9-Dec-20	21-Jan-21			No Discharge		
13-Jan-21	3-Jun-21			No Discharge		
16-Feb-21	3-Jun-21			No Discharge		
23-Mar-21	3-Jun-21		6.6	170	31	<5
1-Apr-21	3-Jun-21			No Discharge		
3-May-21	3-Jun-21			No Discharge		
24-Jun-21	13-Jul-21		6.8	410	66	<5
5-Jul-21	21-Dec-21			No Discharge		
5-Aug-21	21-Dec-21			No Discharge		
6-Sep-21	21-Dec-21			No Discharge		
12-Oct-21	21-Dec-21			No Discharge		
4-Nov-21	21-Dec-21		6.7	580	150	< 5
14-Dec-21	21-Dec-21			No Discharge		
18-Jan-22	9-Jun-22		7.1	820	14	< 5
1-Feb-22	9-Jun-22		6.9	850	200	< 5
1-Mar-22	9-Jun-22			No Discharge		
7-Apr-22	9-Jun-22			No Discharge		
17-May-22	9-Jun-22			No Discharge		

Sampling Point 2 (Groundwater BH1S)

Sampling Frequency (where liquid is present)			Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Biannual
Date Sampled	**Date Obtained**	**Date Published**	**pH (pH units)**	**Electrical Conductivity (µS/cm)**	**Total Dissolved Solids (mg/L)**	**Total Alkalinity as CaCO3 (mg/L)**	**Sulfate (mg/L)**	**Chloride (mg/L)**	**Calcium (mg/L)**	**Magnesium (mg/L)**	**Sodium (mg/L)**	**Potassium (mg/L)**	**Aluminium (mg/L)**	**Arsenic (mg/L)**	**Barium (mg/L)**	**Cadmium (mg/L)**	**Chromium (mg/L)**	**Copper (mg/L)**	**Cobalt (mg/L)**	**Nickel (mg/L)**	**Lead (mg/L)**	**Zinc (mg/L)**	**Manganese (mg/L)**	**Iron (mg/L)**	**Mercury (mg/L)**	**Fluoride (mg/L)**	**Ammonia as N (mg/N/L)**	**Nitrite as N (mg/N/L)**	**Nitrate as N (mg/N/L)**	**Total Phosphorus (mg/L)**	**Total Organic Carbon (mg/L)**	**Organochlorine Pesticides (mg/L)**	**Organophosphorus Pesticides (mg/L)**	**Phenolic Compounds (mg/L)**	**Polynuclear Aromatic Hydrocarbons (mg/L)**	**BTEX (mg/L)**	**Total Petroleum Hydrocarbons (mg/L)**	**Standing Water Level (mAHD)**
19-Nov-13	11-Dec-13		7.12	141	92	32	22	5	9	<1	20	<1	0.92	<0.001	0.038	<0.0001	0.002	0.004	<0.001	0.00	0.00	0.04	0.01	0.25	<0.0001	<0.1	0.02	<0.01	1.62	0.64	92	4.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1110.46
13-May-14	10-Jun-14		6.35	122	79	22	19	5	<1	<1	24	<1														<0.1	<0.01	<0.01	1.51	0.16	2.0								1110.07
5-Nov-14	4-Dec-14		6.25	95	62	11	18	6	<1	<1	20	<1	<0.01	<0.001	0.007	<0.0001	<0.001	0.001	<0.001	<0.001	<0.001	0.01	0.00	<0.05	<0.0001	0.20	<0.01	<0.01	1.55	0.08	2.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1110.88
6-May-15	28-May-15		6.27	92	60	11	15	5	<1	<1	23	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.1	0.03	<0.01	1.75	0.16	2.0	-	-	-	-	-	-	1112.2
23-Nov-15	17-Dec-15		6.25	90	58	12	13	5	< 1	< 1	16	< 1	< 0.01	< 0.001	< 0.001	< 0.0001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.005	0.00	< 0.05	< 0.0001	< 0.1	0.03	< 0.01	1.44	0.16	6.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1112.05
19-May-16	Insufficient																																					1109.45
5-Sep-16	21-Sep-16		6.38	113	73	29	12	6	3	< 1	21	< 1	-	-	-	-	-	-	-	-	-	-	-	-	-	< 0.1	< 0.01	< 0.01	1.43	0.22	2.0	-	-	-	-	-	-	1113.41
7-Nov-16	Insufficient																																					1112.73
17-May-17	Insufficient																																					1109.5
13-Nov-17	Insufficient																																					1109.37
28-May-18	Insufficient																																					1109.37
14-Nov-18	21-Jan-19		6.5	190	110	34	1.7	34	14	3.1	10	7.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	< 0.005	0.05	0.28	5.5	-	-	-	-	-	-	1110.93
1-May-19	Insufficient																																					-
11-Nov-19	Insufficient																																					-
7-Jul-20	24-Jul-20		6.2	170	95	27	3.3	33	7.4	4.8	6.9	9.8	0.034	< 0.001	0.099	< 0.0001	< 0.001	0.004	0.001	-	< 0.001	0.061	0.052	0.045	< 0.0001	< 0.1	0.06	< 0.005	0.04	0.09	2.9	<0.01	<0.014	< 0.01	<0.0005	<0.001	<0.07	1113.19
5-Dec-20	21-Jan-21		5.7	530	330	66	< 1	76	2.6	45	20	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	< 0.005	16.00	0.73	2.3	-	-	-	-	-	-	-	1112.97
3-May-21	3-Jun-21		5.6	250	170	18	4.3	51	12	7.9	11	20	0.016	< 0.001	0.14	< 0.0001	0.005	0.003	0.003	-	< 0.001	0.023	0.13	0.56	< 0.0001	< 0.1	0.26	0.01	2.50	0.33	11.0	<0.01	<0.014	0.01	<0.0005	0.029	<0.07	1113.47
25-Nov-21	21-Dec-21		5.8	140	89	23	3.9	26	6.4	4.3	6.9	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.25	0.01	0.07	0.29	8.9	-	-	-	-	-	-	1114.28
17-May-22	9-Jun-22		5.5	180	200	18	6.3	27	6.8	4.6	6.3	18	4.4	0.004	0.1	< 0.0001	0.005	0.012	0.002	-	0.004	0.029	0.08	3.4	< 0.0001	< 0.1	0.30	0.01	0.02	0.27	11.0	<0.01	<0.014	0.05	<0.001	<0.003	<0.185	1113.44

Sampling Point 3 (Groundwater BH1D)

Sampling Frequency (where liquid is present)			Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual
Date Sampled	**Date Obtained**	**Date Published**	**pH (pH units)**	**Electrical Conductivity (µS/cm)**	**Total Dissolved Solids (mg/L)**	**Total Alkalinity as CaCO3 (mg/L)**	**Sulfate (mg/L)**	**Chloride (mg/L)**	**Calcium (mg/L)**	**Magnesium (mg/L)**	**Sodium (mg/L)**	**Potassium (mg/L)**	**Aluminium (mg/L)**	**Arsenic (mg/L)**	**Barium (mg/L)**	**Cadmium (mg/L)**	**Chromium (mg/L)**	**Copper (mg/L)**	**Cobalt (mg/L)**	**Nickel (mg/L)**	**Lead (mg/L)**	**Zinc (mg/L)**	**Manganese (mg/L)**	**Iron (mg/L)**	**Mercury (mg/L)**	**Fluoride (mg/L)**	**Ammonia as N (mg/N/L)**	**Nitrite as N (mg/N/L)**	**Nitrate as N (mg/N/L)**	**Total Phosphorus (mg/L)**	**Total Organic Carbon (mg/L)**	**Organochlorine Pesticides (mg/L)**	**Organophosphorus Pesticides (mg/L)**	**Phenolic Compounds (mg/L)**	**Polynuclear Aromatic Hydrocarbons (mg/L)**	**BTEX (mg/L)**	**Total Petroleum Hydrocarbons (mg/L)**	**Standing Water Level (mAHD)**
19-Nov-13	11-Dec-13		6.04	126	82	27	11	10	2	3	12	3	0.05	<0.001	0.093	<0.0001	<0.001	0.004	0.002	0.01	0.00	0.038	0.04	0.52	<0.0001	<0.1	0.02	<0.01	0.02	0.24	<1	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1109.61
13-May-14	10-Jun-14																																						
5-Nov-14	4-Dec-14		6.09	123	80	28	11	12	3	4	13	4	<0.01	<0.001	0.116	<0.0001	<0.001	0.004	0.002	0.01	<0.001	0.037	0.03	<0.05	<0.0001	<0.1	0.01	<0.01	0.05	0.19	2.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1110.53
23-Nov-15	17-Dec-15		6.44	126	82	29	10	14	4	4	11	3	0.02	< 0.001	0.128	< 0.0001	< 0.001	0.003	0.002	0.01	< 0.001	0.033	0.03	< 0.05	< 0.0001	< 0.1	0.02	< 0.01	0.13	0.02	5.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1111.48
7-Nov-16	2-Dec-16		6.36	120	78	27	9	11	4	4	10	3	< 0.01	< 0.001	0.14	< 0.0001	< 0.001	0.002	0.001	0.01	< 0.001	0.026	0.02	< 0.05	< 0.0001	0.10	< 0.01	< 0.01	0.12	0.02	4.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1112.01
13-Nov-17	Insufficient																																					
28-May-18	28-Jun-18		6	100	89	24	9.1	11	2.8	4	10	2.9	< 0.005	< 0.001	0.17	< 0.0001	< 0.001	< 0.001	0.002	-	< 0.001	0.017	0.02	6.00	< 0.0001	< 0.1	0.01	< 0.005	0.08	< 0.02	0.6	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1107.39
1-May-19	23-Jul-19		5.6	110	63	31	9.7	12	3.5	4	8.8	2.9	< 0.005	< 0.001	0.14	< 0.0001	< 0.001	< 0.001	0.001	-	< 0.001	0.035	0.027	0.006	< 0.0001	< 0.1	0.03	< 0.005	0.17	0.03	0.4	<0.01	<0.014	< 0.01	<0.0005	<0.001	<0.07	1108.40
11-Nov-19	29-Jan-20																																					1108.61
7-Jul-20	24-Jul-20		6.2	100	80	26	9.8	14	2.7	4.2	9.5	3	0.009	< 0.001	0.14	0.0002	< 0.001	0.005	< 0.001	-	< 0.001	0.078	0.016	0.008	< 0.0001	< 0.1	0.07	< 0.005	0.45	0.06	0.9	<0.01	<0.014	< 0.01	<0.0005	<0.001	<0.07	1110.37

| | | |

1-May-19	23-Jul-19		7.1	620	380	250	66	18	12	35	81	1.1	0.033	0.001	0.074	< 0.0001	< 0.001	0.003	< 0.001		< 0.001	< 0.005	0.043	0.047	< 0.0001	1	0.03	< 0.005	0.49	0.61	5.3	<0.01	<0.014	< 0.01	<0.0005	<0.001	<0.07	1103.14
11-Nov-19	29-Jan-20		7.3	400	260	150	32	22	12	22	44	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	<0.005	0.43	0.37	11.0	-	-	-	-	-	-	1103.73
7-Jul-20	24-Jul-20		7.8	360	230	160	23	14	24	19	21	1.5	0.063	0.002	0.072	< 0.0001	< 0.001	0.005	< 0.001		< 0.001	0.019	0.053	0.11	< 0.0001	0.24	0.04	< 0.005	0.03	0.16	8.1	<0.01	<0.014	< 0.01	<0.0005	<0.001	<0.07	1105.77
9-Dec-20	21-Jan-21		5.7	530	330	66	< 1	76	2.6	45	20	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	< 0.005	16	0.73	2.3	-	-	-	-	-	-	1105.63
3-May-21	3-Jun-21		7	330	200	170	14	3.8	38	17	18	2.7	0.017	0.004	0.063	< 0.0001	0.006	0.003	0.001		< 0.001	0.033	0.089	0.13	< 0.0001	0.25	0.08	< 0.005	0.14	0.19	18.0	<0.01	<0.014	0.01	<0.0005	<0.001	<0.07	1105.33
25-Nov-21	21-Dec-21		7	320	230	170	17	6.9	31	17	20	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	< 0.005	0.06	0.24	13.0	-	-	-	-	-	-	1106.73
17-May-22	9-Jun-22		7	380	270	170	21	7.5	37	14	24	2.4	0.64	0.004	0.062	< 0.0001	0.006	0.006	< 0.001	-	0.001	0.042	0.01	0.47	< 0.0001	0.31	0.04	< 0.005	0.05	0.19	14.0	<0.01	<0.014	< 0.05	<0.001	<0.003	<0.185	1106.6

Sampling Point 10 (Groundwater BH6S)

Sampling Frequency (where liquid is present)			Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Biannual	Biannual	Biannual	Biannual	Biannual	Annual	Annual	Annual	Annual	Annual	Annual	Biannual
Date Sampled	**Date Obtained**	**Date Published**	**pH (pH units)**	**Electrical Conductivity (µS/cm)**	**Total Dissolved Solids (mg/L)**	**Total Alkalinity as CaCO3 (mg/L)**	**Sulfate (mg/L)**	**Chloride (mg/L)**	**Calcium (mg/L)**	**Magnesium (mg/L)**	**Sodium (mg/L)**	**Potassium (mg/L)**	**Aluminum (mg/L)**	**Arsenic (mg/L)**	**Barium (mg/L)**	**Cadmium (mg/L)**	**Chromium (mg/L)**	**Copper (mg/L)**	**Cobalt (mg/L)**	**Nickel (mg/L)**	**Lead (mg/L)**	**Zinc (mg/L)**	**Manganese (mg/L)**	**Iron (mg/L)**	**Mercury (mg/L)**	**Fluoride (mg/L)**	**Ammonia as N (mg/N/L)**	**Nitrite as N (mg/N/L)**	**Nitrate as N (mg/N/L)**	**Total Phosphorus (mg/L)**	**Total Organic Carbon (mg/L)**	**Organochlorine Pesticides (mg/L)**	**Organophosphorus Pesticides (mg/L)**	**Phenolic Compounds (mg/L)**	**Polynuclear Aromatic Hydrocarbons (mg/L)**	**BTEX (mg/L)**	**Total Petroleum Hydrocarbons (mg/L)**	**Standing Water Level (mAHD)**
19-Nov-13	Insufficient Recharge																																						1118.24
13-May-14	10-Jun-14		7.42	262	170	134	3	5	4	18	14	3														0.2	0.02	<0.01	0.04	0.11	<1								1117.87
5-Nov-14	4-Dec-14		6.98	496	322	198	9	37	<1	19	72	1	0.01	<0.001	0.232	<0.0001	<0.001	<0.001	0.004	0.008	<0.001	0.014	0.127	<0.05	<0.0001	0.2	0.02	<0.01	0.01	1.06	3.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1118.17
6-Mar-15	Insufficient Recharge																																						1120.96
23-Nov-15	Insufficient Recharge																																						-
19-May-16	Insufficient																																						-
5-Sep-16	Insufficient																																						-
7-Nov-16	2-Dec-16		7.46	1140	741	564	2	35	9	50	178	< 1	< 0.01	0.005	0.444	< 0.0001	< 0.001	< 0.001	0.00	< 0.001	< 0.001	< 0.005	0.60	7.99	< 0.0001	0.60	< 0.01	< 0.01	0.03	0.06	5.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1119.85
17-May-17	Insufficient																																						1117.2
13-Nov-17	Insufficient																																						1117.2
28-May-18	Insufficient																																						-
14-Nov-18	Insufficient																																						-
1-May-19	Insufficient																																						-
11-Nov-19	Insufficient																																						-
7-Jul-20	Blocked		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-Dec-20	Blocked		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3-May-21	Blocked		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Nov-21	Blocked		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17-May-22	Blocked		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Sampling Point 11 (Groundwater BH8D)

Sampling Frequency (where liquid is present)			Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual
Date Sampled	**Date Obtained**	**Date Published**	**pH (pH units)**	**Electrical Conductivity (µS/cm)**	**Total Dissolved Solids (mg/L)**	**Total Alkalinity as CaCO3 (mg/L)**	**Sulfate (mg/L)**	**Chloride (mg/L)**	**Calcium (mg/L)**	**Magnesium (mg/L)**	**Sodium (mg/L)**	**Potassium (mg/L)**	**Aluminum (mg/L)**	**Arsenic (mg/L)**	**Barium (mg/L)**	**Cadmium (mg/L)**	**Chromium (mg/L)**	**Copper (mg/L)**	**Cobalt (mg/L)**	**Nickel (mg/L)**	**Lead (mg/L)**	**Zinc (mg/L)**	**Manganese (mg/L)**	**Iron (mg/L)**	**Mercury (mg/L)**	**Fluoride (mg/L)**	**Ammonia as N (mg/N/L)**	**Nitrite as N (mg/N/L)**	**Nitrate as N (mg/N/L)**	**Total Phosphorus (mg/L)**	**Total Organic Carbon (mg/L)**	**Organochlorine Pesticides (mg/L)**	**Organophosphorus Pesticides (mg/L)**	**Phenolic Compounds (mg/L)**	**Polynuclear Aromatic Hydrocarbons (mg/L)**	**BTEX (mg/L)**	**Total Petroleum Hydrocarbons (mg/L)**	**Standing Water Level (mAHD)**
19-Nov-13	11-Dec-13		7.42	244	159	114	3	6	6	19	14	3	0.08	0.005	0.031	<0.0001	<0.001	0.002	0.00	0.00	<0.001	0.04	0.63	0.99	<0.0001	0.20	0.02	<0.01	0.03	0.30	<1	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1118.14
13-May-14	10-Jun-14																																						1118.13
5-Nov-14	4-Dec-14		7.27	268	174	140	5	5	5	21	16	3	<0.01	0.009	0.02	<0.0001	<0.001	<0.001	0.001	0.001	<0.001	0.009	0.684	1.5	<0.0001	0.2	<0.01	<0.01	0.04	0.31	<1	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1118.26
23-Nov-15	17-Dec-15		7.5	246	160	123	3	5	6	21	14	3	0.02	0.001	0.009	< 0.0001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.005	0.53	< 0.05	< 0.0001	0.10	0.01	< 0.01	0.02	0.14	2.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1118.47
7-Nov-16	2-Dec-16		7.1	221	144	82	4	16	4	18	10	2	< 0.01	0.01	0.011	< 0.0001	< 0.001	< 0.001	0.00	< 0.001	< 0.001	< 0.005	0.72	2.97	< 0.0001	0.10	< 0.01	< 0.01	< 0.01	0.41	1.0	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1119.48
13-Nov-17	Insufficient																																						
28-May-18	28-Jun-18		6.9	220	140	99	3.3	11	5.1	19	12	2.6	< 0.005	9	0.012	< 0.0001	< 0.001	< 0.001	0.00		< 0.001	0.01	0.62	2.30	< 0.0001	0.11	0.02	< 0.005	0.09	0.33	1.2	<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1115.98
1-May-19	23-Jul-19		6.6	230	110	100	4.3	6.9	4.8	19	11	2.5	< 0.005	0.004	0.009	< 0.0001	< 0.001	< 0.001	0.002		< 0.001	< 0.005	0.43	0.014	< 0.0001	< 0.1	< 0.01	< 0.005	< 0.005	0.12	0.5	<0.01	<0.014	< 0.01	<0.0005	<0.001	<0.07	1115.19
11-Nov-19	29-Jan-20																																						1114.79
7-Jul-20	24-Jul-20		7.4	230	150	110	5.5	8.3	5.1	18	12	2.4	0.012	0.001	0.013	< 0.0001	< 0.001	0.001	< 0.001		< 0.001	0.076	< 0.001	0.012	< 0.0001	< 0.1	0.01	< 0.005	0.22	0.21	1.1	<0.01	<0.014	< 0.01	<0.0005	<0.001	<0.07	1114.93
24-Jun-21	Inaccessible		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17-May-22	Inaccessible		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-