

Oberon Council
Oberon Waste Facility
Lowes Mount Road, Oberon NSW
EPL 20289
Waste Disposal (application to land)

Sampling Point 1 (SW1)

Sampling Frequency (during discharge)			Monthly	Monthly	Monthly	Monthly
Discharge Limit						
Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity ($\mu\text{S/cm}$)	Total Suspended Solids (mg/L)	Oil and Grease (mg/L)
Nil Discharge						
15-Apr-14	2-Jun-14		7.41	304	69	<5
13-May-14	10-Jun-14		7.58	302	25	<5
4-Jun-14	4-Aug-14		7.45	273	10	<5
22-Jul-14	4-Aug-14		7.58	172	7	<5
10-Sep-14	24-Sep-14		7.58	143	11	<5
22-Dec-14	21-Jan-15		7.67	167	8	<5
6-May-15	28-May-15		11.7	8.4		
23-Jun-15	8-Jul-15		7.08	112	15	7
16-Jul-15	7-Aug-15		7.08	107	70	10
5-Aug-15	25-Sep-15		7.32	126	15	< 5
10-Sep-15	29-Sep-15		8.13	601	85	< 5
23-Nov-15	17-Dec-15		7.62	184	12	< 5
23-Dec-15	15-Jan-16		No Discharge			
15-Jan-16	3-Feb-16		No Discharge			
3-Feb-16	11-Mar-16		No Discharge			
11-Mar-16	22-Apr-16		No Discharge			
22-Apr-16	19-May-16		No Discharge			
19-May-16	28-Jun-16		No Discharge			
4-Jul-16	21-Sep-16		No Discharge			
11-Jul-16	21-Sep-16		7.14	75	8	< 5
17-Aug-16	21-Sep-16		No Discharge			
5-Sep-16	21-Sep-16		7.57	478	60	< 5
10-Oct-16	2-Dec-16		7.94	643	10	< 5
7-Nov-16	2-Dec-16		7.77	733	15	< 5
15-Dec-16	22-Dec-16		No Discharge			
11-Jan-17	31-Jan-17		No Discharge			
7-Feb-17	28-Feb-17		No Discharge			
9-Mar-17	28-Mar-17		No Discharge			
11-Apr-17	28-Apr-17		No Discharge			
17-May-17	8-Jun-17		No Discharge			
17-Jun-17	17-Jun-17		No Discharge			
11-Jul-17	11-Jul-17		No Discharge			
22-Aug-17	22-Aug-17		No Discharge			
7-Sep-17	7-Sep-17		No Discharge			
5-Oct-17	5-Oct-17		No Discharge			
13-Nov-17	13-Nov-17		No Discharge			
4-Dec-17	4-Dec-17		6.9	400	46	10

1-May-19	23-Jul-19													
11-Nov-19	29-Jan-20		6.7	550	380	230	9.4	40	8.8	14	96	0.3	-	-

Sampling Point 8 (Groundwater BH4D)

Sampling Frequency (where liquid is present)			Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual
Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity ($\mu\text{S/cm}$)	Total Dissolved Solids (mg/L)	Total Alkalinity as CaCO ₃ (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Aluminium (mg/L)	Arsenic (mg/L)
20-Nov-13	11-Dec-13		7.26	280	182	123	11	6	13	14	26	1	0.06	0.012
13-May-14	10-Jun-14													
5-Nov-14	4-Dec-14		6.98	231	150	114	6	5	10	14	16	1	<0.01	0.004
23-Nov-15	17-Dec-15		7.32	260	169	127	5	5	15	15	17	1	< 0.01	0.01
7-Nov-16	2-Dec-16		7.12	229	149	101	4	4	12	14	12	1	< 0.01	0.012
13-Nov-17	Insufficient													
28-May-18	28-Jun-18		6.7	220	150	110	4.5	4.7	13	14	13	1.4	< 0.005	15
1-May-19	23-Jul-19		6.5	250	140	120	5.2	5.1	15	15	12	1.5	< 0.005	0.003
11-Nov-19	29-Jan-20		6.7	550	380	230	9.4							

Sampling Point 9 (Groundwater BH5)

Sampling Frequency (where liquid is present)			Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Annual	Annual
Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity ($\mu\text{S/cm}$)	Total Dissolved Solids (mg/L)	Total Alkalinity as CaCO ₃ (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Aluminium (mg/L)	Arsenic (mg/L)
20-Nov-13	11-Dec-13		7.79	1360	884	468	186	42	14	81	168	<1	0.36	0.001
13-May-14	10-Jun-14		8.02	1420	923	545	159	49	14	78	166	2		
5-Nov-14	4-Dec-14		7.64	1400	910	534	180	40	12	83	182	<1	<0.01	<0.001
6-May-15	28-May-15		6.02	115	75	26	10	11	3	5	14	4	-	-
23-Nov-15	17-Dec-15		7.86	1380	897	517	172	37	13	87	179	< 1	< 0.01	< 0.001
19-May-16	Insufficient													
5-Sep-16	Insufficient													
7-Nov-16	2-Dec-16		7.7	1280	832	453	152	33	13	74	159	< 1	0.04	< 0.001
17-May-17	Insufficient													
13-Nov-17	10-Jan-18		7.1	1200	660	460	160	36	12	74	170	0.9	-	-
28-May-18	Insufficient													
14-Nov-18	21-Jan-19		7.1	460	290	170	40	19	12	21	44	0.7	-	-
1-May-19	23-Jul-19		7.1	620	380	250	66	18	12	35	81	1.1	0.033	0.001
11-Nov-19	29-Jan-20		7.3	400	260	150	32	22	12	22	44	0.8	-	-

Sampling Point 10 (Groundwater BH6S)

Sampling Frequency (where liquid is present)			Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual	Annual	Annual
Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity ($\mu\text{S/cm}$)	Total Dissolved Solids (mg/L)	Total Alkalinity as CaCO ₃ (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Aluminium (mg/L)	Arsenic (mg/L)

19-Nov-13	Insufficient Recharge													
13-May-14	10-Jun-14		7.42	262	170	134	3	5	4	18	14	3		
5-Nov-14	4-Dec-14		6.98	496	322	198	9	37	<1	19	72	1	0.01	<0.001
6-May-15	Insufficient Recharge													
23-Nov-15	Insufficient Recharge													
19-May-16	Insufficient													
5-Sep-16	Insufficient													
7-Nov-16	2-Dec-16		7.46	1140	741	564	2	35	9	50	178	< 1	< 0.01	0.005
17-May-17	Insufficient													
13-Nov-17	Insufficient													
28-May-18	Insufficient													
14-Nov-18	Insufficient													
1-May-19	Insufficient													
11-Nov-19	Insufficient													

Sampling Point 11 (Groundwater BH6D)

Sampling Frequency (where liquid is present)			Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual
Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity ($\mu\text{S/cm}$)	Total Dissolved Solids (mg/L)	Total Alkalinity as CaCO ₃ (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Aluminium (mg/L)	Arsenic (mg/L)
19-Nov-13	11-Dec-13		7.42	244	159	114	3	6	6	19	14	3	0.08	0.005
13-May-14	10-Jun-14													
5-Nov-14	4-Dec-14		7.27	268	174	140	5	5	5	21	16	3	<0.01	0.009
23-Nov-15	17-Dec-15		7.5	246	160	123	3	5	6	21	14	3	0.02	0.001
7-Nov-16	2-Dec-16		7.1	221	144	82	4	16	4	18	10	2	< 0.01	0.01
13-Nov-17	Insufficient													
28-May-18	28-Jun-18		6.9	220	140	99	3.3	11	5.1	19	12	2.6	< 0.005	9
1-May-19	23-Jul-19		6.6	230	110	100	4.3	6.9	4.8	19	11	2.5	< 0.005	0.004
11-Nov-19	29-Jan-20		6.7	550	380	230	9.4							

Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mgN/L)	Nitrite as N (mgN/L)	Nitrate as N (mgN/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)
0.093	<0.0001	<0.001	0.004	0.002	0.01	0.00	0.038	0.04	0.52	<0.0001	<0.1	0.02	<0.01	0.02	0.24	<1
0.116	<0.0001	<0.001	0.004	0.002	0.01	<0.001	0.037	0.03	<0.05	<0.0001	<0.1	0.01	<0.01	0.05	0.19	2
0.128	<0.0001	<0.001	0.003	0.002	0.01	<0.001	0.033	0.03	<0.05	<0.0001	<0.1	0.02	<0.01	0.13	0.02	5
0.14	<0.0001	<0.001	0.002	0.001	0.01	<0.001	0.026	0.02	<0.05	<0.0001	0.10	<0.01	<0.01	0.12	0.02	4
0.17	<0.0001	<0.001	<0.001	0.002	-	<0.001	0.017	0.02	6.00	<0.0001	<0.1	0.01	<0.005	0.08	<0.02	1
0.14	<0.0001	<0.001	<0.001	0.001		<0.001	0.035	0.027	0.006	<0.0001	<0.1	0.03	<0.005	0.17	0.03	0

Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Biannual	Biannual	Biannual	Biannual	Biannual
Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mgN/L)	Nitrite as N (mgN/L)	Nitrate as N (mgN/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	
0.338	0.0002	0.004	0.008	0.01	0.02	0.00	0.05	0.20	0.95	<0.0001	<0.1	0.03	<0.01	16.70	0.58	<1	
0.299	0.0001	<0.001	0.001	0.001	0.014	<0.001	0.016	0.05	<0.05	<0.0001	0.1	<0.01	<0.01	15.4	0.95	<1	
-	-	-	-	-	-	-	-	-	-	-	<0.1	<0.01	0.01	16.9	0.94	<1	
0.305	0.0001	<0.001	<0.001	0.00	0.01	<0.001	0.01	0.06	<0.05	<0.0001	<0.1	0.06	<0.01	18.3	0.74	1	
0.33	0.0001	<0.001	<0.001	0.00	0.01	<0.001	0.01	0.04	<0.05	<0.0001	0.20	<0.01	<0.01	17.10	0.91	7	
-	-	-	-	-	-	-	-	-	-	-	-	0.04	<0.005	16.60	0.13	2	
0.42	0.0002	<0.001	0.001	0.00		<0.001	0.03	0.10	<0.005	<0.0001	<0.1	0.07	<0.005	17.00	0.69	1	
-	-	-	-	-	-	-	-	-	-	-	-	<0.01	<0.005	16.00	1.50	2	
-	-	-	-	-	-	-	-	-	-	-	-	<0.01	<0.005	17.00	1.70	2	

Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Biannual	Biannual	Biannual	Biannual	Biannual
Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mgN/L)	Nitrite as N (mgN/L)	Nitrate as N (mgN/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	
0.21	0.0002	0.003	0.018	0.013	0.003	0.005	0.044	0.964	0.72	<0.0001	0.8	0.08	<0.01	<0.01	0.34	6	
-	-	-	-	-	-	-	-	-	-	-	0.9	0.03	<0.01	0.01	3.68	14	
0.157	0.0005	0.004	0.124	0.02	0.02	0.16	0.20	0.68	0.92	<0.0001	0.7	0.06	<0.01	0.02	1.67	2	
											0.80			0.02	1.35	5	

-	-	-	-	-	-	-	-	-	-	-	0.60	0.06	< 0.01	0.08	3.22	2
0.589	0.0002	0.006	0.121	0.09	0.01	0.02	0.07	1.34	3.75	< 0.0001	0.60	0.04	< 0.01	0.03	2.38	2
-	-	-	-	-	-	-	-	-	-	-	-	0.02	< 0.005	< 0.05	1.70	5
-	-	-	-	-	-	-	-	-	-	-	-	0.02	< 0.005	6.60	1.40	5
0.18	< 0.0001	< 0.001	0.002	0.007		< 0.001	0.005	0.61	0.014	< 0.0001	0.63	0.03	< 0.005	1.90	2.20	2

Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual
Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mgN/L)	Nitrite as N (mgN/L)	Nitrate as N (mgN/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)
0.081	0.0002	0.001	0.017	<0.001	0.01	0.01	0.06	0.04	0.08	0.00	0.30	<0.01	<0.01	0.11	0.46	1
0.049	<0.0001	<0.001	<0.001	<0.001	0.00	<0.001	0.01	0.01	<0.05	<0.0001	0.20	<0.01	<0.01	0.19	0.09	<1
0.046	< 0.0001	< 0.001	< 0.001	< 0.001	0.00	< 0.001	0.01	0.02	< 0.05	< 0.0001	0.20	< 0.01	< 0.01	0.08	0.11	6
0.052	< 0.0001	< 0.001	< 0.001	< 0.001	0.00	< 0.001	0.01	0.00	< 0.05	< 0.0001	0.30	< 0.01	< 0.01	0.12	0.09	1
0.068	< 0.0001	< 0.001	< 0.001	< 0.001		< 0.001	0.01	0.00	0.01	< 0.0001	0.16	< 0.01	< 0.005	0.07	0.08	1
0.059	< 0.0001	< 0.001	< 0.001	< 0.001		< 0.001	0.006	0.003	< 0.005	< 0.0001	0.12	0.02	< 0.005	0.06	0.10	0

Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Biannual	Biannual	Biannual	Biannual	Biannual
Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mgN/L)	Nitrite as N (mgN/L)	Nitrate as N (mgN/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)
0.116	<0.0001	<0.001	<0.001	0.014	0.005	<0.001	0.006	1.5	1.43	<0.0001	0.6	0.12	<0.01	0.08	0.72	14
0.101	< 0.0001	< 0.001	< 0.001	0.01	0.01	< 0.001	< 0.005	2.66	0.33	< 0.0001	0.40	0.06	< 0.01	0.09	0.34	5
-	-	-	-	-	-	-	-	-	-	-	0.70	0.06	< 0.01	0.06	0.48	7

-	-	-	-	-	-	-	-	-	-	-	-	0.04	<0.005	0.35	0.89	3
---	---	---	---	---	---	---	---	---	---	---	---	------	--------	------	------	---

Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual
Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mgN/L)	Nitrite as N (mgN/L)	Nitrate as N (mgN/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)
0.037	<0.0001	<0.001	0.003	0.00	0.00	<0.001	0.05	0.63	3.08	<0.0001	0.40	0.03	<0.01	0.04	0.29	3.00
0.01	<0.0001	<0.001	<0.001	<0.001	0.00	<0.001	0.02	0.48	<0.05	<0.0001	0.30	<0.01	<0.01	0.01	0.29	<1
0.022	<0.0001	<0.001	<0.001	<0.001	0.00	<0.001	0.01	0.48	2.47	<0.0001	0.30	<0.01	<0.01	0.02	0.24	2
0.018	<0.0001	<0.001	<0.001	<0.001	0.00	<0.001	0.01	0.55	3.02	<0.0001	0.30	0.01	<0.01	0.02	0.27	<1
0.022	<0.0001	<0.001	<0.001	<0.001		<0.001	0.02	0.56	3.40	<0.0001	0.25	0.02	<0.005	0.02	0.26	1
0.025	<0.0001	<0.001	<0.001	<0.001		<0.001	0.008	0.51	<0.005	<0.0001	0.22	0.02	<0.005	0.02	0.19	1

Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Biannual	Biannual	Biannual	Biannual	Biannual
Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mgN/L)	Nitrite as N (mgN/L)	Nitrate as N (mgN/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	
0.065	<0.0001	<0.001	0.004	<0.001	0.00	0.00	0.02	0.02	0.15	<0.0001	1.70	0.02	<0.01	4.50	<0.10	9.00	
											1.7	0.02	0.02	4.41	0.05	1	
0.034	<0.0001	<0.001	0.001	<0.001	<0.001	<0.001	0.009	0.006	<0.05	<0.0001	1.5	<0.01	<0.01	4.58	0.09	2	
-	-	-	-	-	-	-	-	-	-	-	<0.1	<0.01	<0.01	0.04	<0.01	1	
0.034	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	0.01	0.01	<0.05	<0.0001	1.50	0.01	<0.01	4.24	0.02	3	
0.033	<0.0001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.005	0.01	<0.05	<0.0001	1.50	<0.01	<0.01	3.91	0.02	2	
-	-	-	-	-	-	-	-	-	-	-	-	0.02	<0.005	3.00	0.06	7	
-	-	-	-	-	-	-	-	-	-	-	-	<0.01	<0.005	0.70	0.18	9	
0.074	<0.0001	<0.001	0.003	<0.001		<0.001	<0.005	0.043	0.047	<0.0001	1	0.03	<0.005	0.49	0.61	5	
-	-	-	-	-	-	-	-	-	-	-	-	0.03	<0.005	0.43	0.37	11	

Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Annual	Biannual	Biannual	Biannual	Biannual	Biannual
Barium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)	Cobalt (mg/L)	Nickel (mg/L)	Lead (mg/L)	Zinc (mg/L)	Manganese (mg/L)	Iron (mg/L)	Mercury (mg/L)	Fluoride (mg/L)	Ammonia as N (mgN/L)	Nitrite as N (mgN/L)	Nitrate as N (mgN/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	

Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (mg/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mAHD)
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1109.61
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1110.53
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1111.48
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1112.01
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1107.39
<0.01	<0.014	<0.01	<0.0005	<0.001	<0.07	1108.40
						1108.61

Annual	Annual	Annual	Annual	Annual	Annual	Biannual
Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (mg/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mAHD)
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1111.81
						1112.02
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1112.15
-	-	-	-	-	-	1111.97
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1110.62
						-
						-
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1112.78
						1107.72
-	-	-	-	-	-	1109.84
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1109.02
-	-	-	-	-	-	1107.72
						1108.42
						1108.17

Annual	Annual	Annual	Annual	Annual	Annual	Biannual
Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (mg/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mAHD)
						1104.51
						1104.56
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1104.83
-	-	-	-	-	-	1104.87
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1105.1
						1103.59

-	-	-	-	-	-	1105.53
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1105.32
						1103.63
-	-	-	-	-	-	1103.43
						1101.92
-	-	-	-	-	-	1103.2
<0.01	<0.014	<0.01	<0.0005	<0.001	<0.07	1102.74
						-

Annual	Annual	Annual	Annual	Annual	Annual	Annual
Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (mg/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mAHD)
			* Standing Water Level unlikely to be accurate due to			1104.92
<0.010	<0.014	<0.014	<0.0005	<0.001	<0.07	1103.82* *replacem
						1104.62 *replacem
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1104.72
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1105.02
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1105.2
						-
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1101.95
<0.01	<0.014	0.09	<0.0005	<0.001	<0.07	1102.26
						1102.94

Annual	Annual	Annual	Annual	Annual	Annual	Biannual
Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (mg/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mAHD)
						1104.75
						1104.89
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1104.72
						1104.24
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1105.1
						1101.5
-	-	-	-	-	-	1105.18
						1104.8
						1101.42
						1101.72
						-
						1101.47

						1101.95
-	-	-	-	-	-	1101.91

Annual	Annual	Annual	Annual	Annual	Annual	Annual
Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (mg/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mAHD)
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1104.89
						1104.93
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1105.24
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1105.46
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1104.71
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1102.16
<0.01	<0.014	< 0.01	<0.0005	<0.001	<0.07	1103.26
						1103.65

Annual	Annual	Annual	Annual	Annual	Annual	Biannual
Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (mg/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mAHD)
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1105.86
						1105.78
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1106.09
-	-	-	-	-	-	1105.64
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1106.45
						1103.78
						-
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1106.76
						1102.88
-	-	-	-	-	-	1104.28
						1102.46
-	-	-	-	-	-	1110.93
<0.01	<0.014	< 0.01	<0.0005	<0.001	<0.07	1103.14
-	-	-	-	-	-	1103.73

Annual	Annual	Annual	Annual	Annual	Annual	Biannual
Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (mg/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mAHD)

						1118.24
						1117.87
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1118.17
						1120.96
						-
						-
						-
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1119.85
						1117.2
						1117.2
						-
						-
						-
						-

Annual	Annual	Annual	Annual	Annual	Annual	Annual
Organochlorine Pesticides (mg/L)	Organophosphorus Pesticides (mg/L)	Phenolic Compounds (mg/L)	Polynuclear Aromatic Hydrocarbons (mg/L)	BTEX (mg/L)	Total Petroleum Hydrocarbons (mg/L)	Standing Water Level (mAHD)
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1118.14
						1118.13
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1118.26
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1118.47
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1119.48
<0.01	<0.014	<0.014	<0.0005	<0.001	<0.07	1115.98
<0.01	<0.014	< 0.01	<0.0005	<0.001	<0.07	1115.19
						1114.79